

Printing date 11.02.2021 Version number 3 Revision: 11.02.2021

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: WALLOXEN EH 150/80

· Article number: 521002 · Registration number

The product is a polymer and therefore exempted from registration obligation under REACH.

· UFI: 0J40-00C2-M00A-W313

- · Relevant identified uses of the substance or mixture and uses advised against .
- · Application of the substance / the mixture Emulsifier
- · Uses advised against No further relevant information available.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Wall Chemie GmbH Am Selder 25 D-47906 KEMPEN DEUTSCHLAND

Tel.: +49 2152 8999 0

E-Mail: sicherheit@wall-chemie.com

- · Further information obtainable from: Safety and health group
- · Emergency telephone number:

This number is serviced during office hours: +49 2152 8999 0 Giftinformationszentrum Nord 24h-information: +49 551 19240

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · (Hazard-determining) components of labelling:

2-Ethylhexanol polyglycolether

· Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



Printing date 11.02.2021 Version number 3 Revision: 11.02.2021

Trade name: WALLOXEN EH 150/80

· vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · Description: aqueous solution
- · (Dangerous) components:

CAS: 26468-86-0 2-Ethylhexanol polyglycolether Polymer

Eye Dam. 1, H318

50-100%

Additional information:

Polymers are exempted from registration obligation under REACH. For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Seek medical treatment.

Rinse mouth.

Do not induce vomiting.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed Risk of aspiration.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Organic decomposition products

Carbon oxides (COx)

- · Advice for firefighters
- · Protective equipment: Use suitable breathing apparatus if necessary.

6 Accidental release measures

 \cdot Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Avoid contact with the eyes and skin.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)



Printing date 11.02.2021 Version number 3 Revision: 11.02.2021

Trade name: WALLOXEN EH 150/80

(Contd. of page 2)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Wear protective clothing.

Do not eat, drink or smoke in working area.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: Combustible liquid.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

The recommended specification of the protective clothing articles is to be chosen according to the duration of the exposition, the concentration and the amount of the dangerous substances at the working environment. Seek advice of the suppliers.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

· Material of gloves

e.g. Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

· Penetration time of glove material

Minimum breakthrough time: > 120 min (Permeation according to EN 374 Part 3: level 4)

· Eye protection:



Tightly sealed goggles (EN 166).

(Contd. on page 4)



Printing date 11.02.2021 Version number 3 Revision: 11.02.2021

Trade name: WALLOXEN EH 150/80

· Body protection: Protective work clothing

(Contd. of page 3)

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Colourless
Odour: Characteristic
Odour threshold: Not determined.

• pH-value (10 g/l) at 20 °C: 6.0 - 7.5

· Change in condition

Melting point/freezing point:
Initial boiling point and boiling range: Undetermined.

• Flash point:

Undetermined.

• Flammability (solid, gas): Not applicable.

• Decomposition temperature: Not determined.

• Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

· Vapour pressure: Not determined.

· Density at 20 °C: ca. 1.062 g/cm³
· Relative density Not determined.

Vapour density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

water: Soluble.

· Partition coefficient: n-octanol/water: Product is an emulsifier.

· Viscosity:

Dynamic at 20 °C: 125 mPas **Kinematic:** Not determined.

· Other information No further relevant information available.

10 Stability and reactivity

· Reactivity

Product is stable under normal ambient conditions.

No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 5)



Printing date 11.02.2021 Version number 3 Revision: 11.02.2021

Trade name: WALLOXEN EH 150/80

(Contd. of page 4)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

This statement was deduced from products with a similar structure or composition.

According to CESIO-recommendation 03/2017.

Oral LD50 > 2000 mg/kg (--)

- Primary irritant effect:
- · Skin corrosion/irritation

According to CESIO-recommendation 03/2017.

This statement was deduced from products with a similar structure or composition.

No irritating effect.

· Serious eye damage/irritation

According to CESIO-recommendation 03/2017.

This statement was deduced from products with a similar structure or composition.

Causes serious eye damage.

- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity no data
- · Carcinogenicity no data
- · Reproductive toxicity no data
- · STOT-single exposure no data
- · STOT-repeated exposure no data
- · Aspiration hazard no data

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

The classification was carried out according to CESIO-recommendation 03/2017

Acute: >10 - ≤100 mg/l

This statement was deduced from products with a similar structure or composition.

· Persistence and degradability

These surfactants comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

readily biodegradable

Degradation rate > 70% Time (d) 28 days Method OECD 301 E

· Other information:

This statement was deduced from products with a similar structure or composition.

- · Behaviour in environmental systems:
- Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 6)



Printing date 11.02.2021 Version number 3 Revision: 11.02.2021

Trade name: WALLOXEN EH 150/80

(Contd. of page 5)

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· Waste disposal key:

Determine wastes code in compliance with local waste management company according the European Waste Catalogue (EWC).

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information		
· UN-Number · ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · ADR, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Ann Marpol and the IBC Code 	nex II of Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

This Product is classified as not dangerous for the purpose of the relevant directives and therefore does not require labelling. Nevertheless we recommend to be careful with the material as you used to be with other chemicals.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Version number 3 Printing date 11.02.2021 Revision: 11.02.2021

Trade name: WALLOXEN EH 150/80

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H318 Causes serious eye damage.

- · Department issuing SDS: Safety and Health group
- · Contact: Dr. Astrid Kawka, Dr. Dieter Kawka
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

· * Data compared to the previous version altered.