

Printing date 27.07.2020 Version number 4 Revision: 27.07.2020

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: WALLOXEN NO 90

· Article number: 521304

• CAS Number: 9016-45-9

· EINECS Number:

Polymer

· Registration number

The product is a polymer and therefore exempted from registration obligation under REACH.

- Relevant identified uses of the substance or mixture and uses advised against.
- · Application of the substance / the mixture Emulsifier
- · Uses advised against No further relevant information available.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Wall Chemie GmbH

Am Selder 25

D-47906 KEMPEN

DEUTSCHLAND

Tel.: +49 2152 8999 0

E-Mail: sicherheit@wall-chemie.com

- · Further information obtainable from: Safety and health group
- · Emergency telephone number:

This number is serviced during office hours: +49 2152 8999 0 Giftinformationszentrum Nord 24h-information: +49 551 19240

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS05 GHS07 GHS0

· Signal word Danger

(Contd. on page 2)



Printing date 27.07.2020 Version number 4 Revision: 27.07.2020

Trade name: WALLOXEN NO 90

(Contd. of page 1)

· (Hazard-determining) components of labelling: 9016-45-9 Alkylphenol polyglycolether

· Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P391 Collect spillage.

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterisation: Substances
- · CAS No. Description
 - 9016-45-9 Alkylphenol polyglycolether
- Identification number(s)
- · EC number: Polymer
- · Additional information: Polymers are exempted from registration obligation under REACH.
- ·SVHC

9016-45-9 Alkylphenol polyglycolether

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Seek medical treatment.

Rinse mouth.

Do not induce vomiting.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed Risk of aspiration.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Organic decomposition products

Carbon oxides (COx)

(Contd. on page 3)



Printing date 27.07.2020 Version number 4 Revision: 27.07.2020

Trade name: WALLOXEN NO 90

(Contd. of page 2)

· Advice for firefighters

· Protective equipment: Use suitable breathing apparatus if necessary.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Avoid contact with the eyes and skin.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Wear protective clothing.

Do not eat, drink or smoke in working area.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: Combustible liquid.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- · Additional information: The lists valid during the making were used as basis.
- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

(Contd. on page 4)



Version number 4 Revision: 27.07.2020 Printing date 27.07.2020

Trade name: WALLOXEN NO 90

(Contd. of page 3)

Do not eat, drink, smoke or sniff while working.

The recommended specification of the protective clothing articles is to be chosen according to the duration of the exposition, the concentration and the amount of the dangerous substances at the working environment. Seek advice of the suppliers.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

· Material of gloves

e.g. Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

· Penetration time of glove material

Minimum breakthrough time: > 120 min (Permeation according to EN 374 Part 3: level 4)

· Eye protection:



· Density:

· Relative density · Vapour density

Tightly sealed goggles (EN 166).

· Body protection: Protective work clothing

9 Physical and chemical properties		
· Information on basic physical and chemical properties		
· General Information		
· Appearance:	Liquid	
Colour:	Yellowish	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
0 00 00 00 00 00 00 00 00 00 00 00 00 0		
· pH-value (10 g/l) at 20 °C:	6.0-7.5	
· Change in condition		
Melting point/freezing point:	ca. 0 °C	
Initial boiling point and boiling range: Undetermined.		
· Flash point:	200 - 210 °C	
· Flammability (solid, gas):	Not applicable.	
· Ignition temperature:	400 - 410 °C	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Not determined.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	

ca. 1.04-1.06 g/cm³(50°C)

Not determined.

Not determined.

(Contd. on page 5)



Printing date 27.07.2020 Version number 4 Revision: 27.07.2020

Trade name: WALLOXEN NO 90

	(Contd. of page 4)
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible. Gel formation possible.
· Partition coefficient: n-octanol/water:	Product is an emulsifier.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity Product is stable under normal ambient conditions.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

According to CESIO-recommendation 03/2017.

Oral LD50 <2000 mg/kg (--)

- Primary irritant effect:
- Skin corrosion/irritation

According to CESIO-recommendation 03/2017.

No irritating effect.

· Serious eye damage/irritation

According to CESIO-recommendation 03/2017.

Causes serious eye damage.

- · Respiratory or skin sensitisation No sensitising effects known.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity no data
- · Carcinogenicity no data
- · Reproductive toxicity no data
- · STOT-single exposure no data
- · STOT-repeated exposure no data
- · Aspiration hazard no data

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

The classification was carried out according to CESIO-recommendation 03/2017 Acute: >1 - \leq 10 mg/l

(Contd. on page 6)



Printing date 27.07.2020 Version number 4 Revision: 27.07.2020

Trade name: WALLOXEN NO 90

(Contd. of page 5)

chronic NOEC / ECx ≥1 mg/l (alga) (CESIO 10/2015)

· Persistence and degradability

Not easily biodegradable

Degradation rate <60% Time (d) 28 days Method OECD 301B Degradation rate <70% Time (d) 28 days Method OECD 301A

· Other information:

This statement was deduced from products with a similar structure or composition.

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· Waste disposal key:

Determine wastes code in compliance with local waste management company according the European Waste Catalogue (EWC).

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number	
ADR, IMDG, IATA	UN3082
UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (Alkylphenol
	polyglycolether)
IMDG	ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (Alkylphenol
	polyglycolether), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (Alkylphenol
	polyglycolether)

(Contd. on page 7)



Printing date 27.07.2020 Version number 4 Revision: 27.07.2020

Trade name: WALLOXEN NO 90

Trade name: WALLOXEN NO 90	
	(Contd. of page 6)
· Transport hazard class(es)	
· ADR, IMDG, IATA	
1 1 1 1 1 1 1 1 1 1	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
Packing groupADR, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	Yes (P) Symbol (fish and tree)
Special marking (ADR):Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
 Hazard identification number (Kemler code) EMS Number: Stowage Category 	
 Transport in bulk according to Annex II of Marpol and the IBC Code 	Not applicable.
· Transport/Additional information:	
ADRLimited quantities (LQ)Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkylphenol polyglycolether), 9, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Note EU-Regulation EG/1907/2006 (REACH)

- Annex XVII, "Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles", No. 3 and No. 46. a) Nonylphenol, b) Nonylphenol ethoxylate
- Annex XIV "Authorisation List", Entry No. 43 (4-Nonylphenol, branched and linear, ethoxylated; substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in (Contd. on page 8)



Printing date 27.07.2020 Version number 4 Revision: 27.07.2020

Trade name: WALLOXEN NO 90

(Contd. of page 7)

position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof)

- · Directive 2012/18/EU
- · Seveso category HAZARDOUS TO THE AQUATIC ENVIRONMENT E2
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

Entry no. 43

4-Nonylphenol, branched and linear, ethoxylated

substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 46b
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

9016-45-9 Alkylphenol polyglycolether

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Safety and Health group
- · Contact: Dr. Astrid Kawka, Dr. Dieter Kawka
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

P: Marine Pollutant

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

· * Data compared to the previous version altered.

ΕU