


Printing date 22.09.2021

Revision: 22.09.2021






Printing date 22.09.2021

Version number 6

Revision: 22.09.2021

Trade name: WALLOXEN OA 100



3 Composition/information on ingredients

· Chemical characterisation: Substances

- · CAS No. Description
- 26635-93-8 Fatty amine polyglycolether
- Identification number(s)
- · EC number: Polymer

· Additional information: Polymers are exempted from registration obligation under REACH.

4 First aid measures

- Description of first aid measures
- · After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: Seek medical treatment.
- Rinse mouth.

Do not induce vomiting.

- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

WALL CHEMIE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.09.2021

Version number 6

Revision: 22.09.2021

(Contd. of page 2)

Trade name: WALLOXEN OA 100

• Indication of any immediate medical attention and special treatment needed Risk of aspiration.

5 Firefighting measures

· Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • Special hazards arising from the substance or mixture

In case of fire, the following can be released: Organic decomposition products Carbon oxides (COx) Nitrogen oxides (NOx)

- Advice for firefighters
- · Protective equipment: Use suitable breathing apparatus if necessary.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Prevent formation of aerosols. Ensure adequate ventilation.
 Particular danger of slipping on leaked/spilled product.
 Wear protective clothing.
 Avoid contact with the eyes and skin.
 Environmental precautions:
 Do not allow to enter sewers/ surface or ground water.
 Inform respective authorities in case of seepage into water course or sewage system.

- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid exposure - obtain special instructions before use.

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- When spraying, wear suitable respiratory equipment.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Use suitable respiratory protective device in case of insufficient ventilation.

- Open and handle receptacle with care.
- Wear protective clothing.

Do not eat, drink or smoke in working area.

· Information about fire - and explosion protection: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: Combustible liquid.

(Contd. on page 4)

EU

WALL CHEMIE

Printing date 22.09.2021

Safety data sheet according to 1907/2006/EC, Article 31

Version number 6

Revision: 22.09.2021

Trade name: WALLOXEN OA 100

· Specific end use(s) No further relevant information available.

(Contd. of page 3)

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Do not inhale gases / fumes / aerosols.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Do not eat, drink, smoke or sniff while working.
- The recommended specification of the protective clothing articles is to be chosen according to the duration of the exposition, the concentration and the amount of the dangerous substances at the working environment. Seek advice of the suppliers.
- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands:



Protective gloves

· Material of gloves e.g. Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

- · Penetration time of glove material
- Minimum breakthrough time : > 120 min (Permeation according to EN 374 Part 3: level 4)
- Eve protection:



Tightly sealed goggles (EN 166).

· Body protection: Protective work clothing

Information on basic physical and chemical properties General Information		
Appearance: Form:	Fluid	
Colour:	Fluid Yellow - Brown	
Odour:	Amine-like	
Odour threshold:	Not determined.	
pH-value (10 g/l) at 20 °C:	ca. 9.0 - 11.0	
Change in condition		
Melting point/freezing point:	ca15 °C	
Initial boiling point and boiling	range: Undetermined.	



Printing date 22.09.2021

Version number 6

Revision: 22.09.2021

Trade name: WALLOXEN OA 100

	(Contd. of page
Flash point:	> 200 °C (DIN 51376)
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	0.1 hPa
Density:	ca. 0.91 g/cm³(25°C)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Soluble.
Partition coefficient: n-octanol/water:	Product is an emulsifier.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity Product is stable under normal ambient conditions.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- Harmful if swallowed.
- LD/LC50 values relevant for classification: According to CESIO-recommendation 05/2021
- Oral LD50 <2000 mg/kg (rat)
- Primary irritant effect:
- · Skin corrosion/irritation
- According to CESIO-recommendation 05/2021 No irritating effect. Causes skin irritation.
- Serious eye damage/irritation According to CESIO-recommendation 05/2021 Causes serious eye damage.

(Contd. on page 6)

EU



Printing date 22.09.2021

Version number 6

Revision: 22.09.2021

(Contd. of page 5)

Trade name: WALLOXEN OA 100

- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity no data
- · Carcinogenicity no data
- · Reproductive toxicity no data
- STOT-single exposure no data
- · STOT-repeated exposure no data
- · Aspiration hazard no data

· Toxicity	mation
Aquatic toxicity:	
	s carried out according to CESIO-recommendation 05/2021 deduced from products with a similar structure or composition.
Acute 1, M = 1	
Chronic 1, $M = 1$	
EC50	>0.1-≤1 mg/l (daphne) (CESIO 10/2015; read across)
LC50	>0.1-≤10 mg/l (fish) (CESIO 10/2015; read across)
IC50	>0.01-≤0.1 mg/l (alga) (CESIO 10/2015; read across)
	0.01 mg/l (alga) (CESIO 10/2015; read across)
· Persistence and de	
	recommendation 10/2015
readily biodegradable	
• Other information:	
	deduced from products with a similar structure or composition.
· Behaviour in enviro	
	otential No further relevant information available.
	urther relevant information available.
· Ecotoxical effects:	
· Remark: Toxic for fis	sh
 Additional ecologic 	al information:
· General notes:	
	sh and plankton in water bodies.
Toxic for aquatic orga	
	2 (German Regulation) (Assessment by list): hazardous for water
	to reach ground water, water course or sewage system.
• Results of PBT and	ater if even small quantities leak into the ground.
 • PBT: Not applicable. 	
· vDvB· Not applicable	
vPvB: Not applicable	.ts No further relevant information available.

· Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Waste disposal key:

Determine wastes code in compliance with local waste management company according the European Waste Catalogue (EWC).

(Contd. on page 7)

FU



Printing date 22.09.2021

Version number 6

Revision: 22.09.2021

Trade name: WALLOXEN OA 100

(Contd. of page 6)

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number		
ADR, IMDG, IATA	UN3082	
UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty amine	
IMDG	polyglycolether) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty amine polyglycolether), MARINE POLLUTANT	
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty amine polyglycolether)	
Transport hazard class(es)		
ADR, IMDG, IATA		
Class	9 Miscellaneous dangerous substances and articles.	
Label	9	
Packing group ADR, IMDG, IATA	III	
Environmental hazards: Marine pollutant:	Yes (P) Symbol (fish and tree)	
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)	
Special precautions for user	Warning: Miscellaneous dangerous substances and articles.	
Hazard identification number (Kemler code):		
EMS Number: Stowage Category	F-A,S-F A	
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.	
Transport/Additional information:		
ADR		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 1000 ml	
Transport category	3	



Printing date 22.09.2021

Version number 6

Revision: 22.09.2021

Trade name: WALLOXEN OA 100

	(Contd. of page 7)	
 Tunnel restriction code 	(-)	
 IMDG Limited quantities (LQ) 	5L	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FATTY AMINE POLYGLYCOLETHER), 9, III	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Seveso category HAZARDOUS TO THE AQUATIC ENVIRONMENT E1
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Safety and Health group
- · Contact: Dr. Astrid Kawka, Dr. Dieter Kawka

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association P. Marine Pollutant GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

** Data compared to the previous version altered.

EU -