

Printing date 05.02.2021 Version number 8 Revision: 05.02.2021

### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: WALLOXEN SH 55/95 PF

· Article number: 521196 · Registration number

The product is a polymer and therefore exempted from registration obligation under REACH.

· UFI: TA20-U0DR-N00F-P6VE

· Relevant identified uses of the substance or mixture and uses advised against .

· Application of the substance / the mixture Emulsifier

· Uses advised against No further relevant information available.

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Wall Chemie GmbH Am Selder 25 D-47906 KEMPEN DEUTSCHLAND

Tel.: +49 2152 8999 0

E-Mail: sicherheit@wall-chemie.com

· Further information obtainable from: Safety and health group

· Emergency telephone number:

This number is serviced during office hours: +49 2152 8999 0 Giftinformationszentrum Nord 24h-information: +49 551 19240

#### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2

H315 Causes skin irritation.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS07 GHS09

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)



Version number 8 Printing date 05.02.2021 Revision: 05.02.2021

Trade name: WALLOXEN SH 55/95 PF

(Contd. of page 1)

P391 Collect spillage.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · Description: aqueous solution
- · (Dangerous) components:

CAS: 68920-66-1 fatty alcohol polyglycolether

50-100%

Polymer

Aquatic Chronic 2, H411; 🕦 Skin Irrit. 2, H315

· Additional information:

Polymers are exempted from registration obligation under REACH. For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Seek medical treatment.

Rinse mouth.

Do not induce vomiting.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed Risk of aspiration.

#### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Organic decomposition products

Carbon oxides (COx)

- · Advice for firefighters
- · Protective equipment: Use suitable breathing apparatus if necessary.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

Avoid contact with the eyes and skin.

(Contd. on page 3)



Printing date 05.02.2021 Version number 8 Revision: 05.02.2021

Trade name: WALLOXEN SH 55/95 PF

(Contd. of page 2)

· Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Wear protective clothing.

Do not eat, drink or smoke in working area.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: Combustible liquid.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

The recommended specification of the protective clothing articles is to be chosen according to the duration of the exposition, the concentration and the amount of the dangerous substances at the working environment. Seek advice of the suppliers.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

Material of gloves

e.g. Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

· Penetration time of glove material

Minimum breakthrough time: > 120 min (Permeation according to EN 374 Part 3: level 4)

(Contd. on page 4)

(Contd. of page 3)



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2021 Version number 8 Revision: 05.02.2021

Trade name: WALLOXEN SH 55/95 PF

· Eye protection:

Tightly sealed goggles (EN 166).

Body protection: Protective work clothing

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Yellowish
Odour: Characteristic
Odour threshold: Not determined.

• pH-value (10 g/l) at 20 °C: 6.0 - 7.5

· Change in condition

Melting point/freezing point: <10 - 20 °C Initial boiling point and boiling range: Undetermined.

· Flash point:  $> 170 \, ^{\circ}\text{C}$ 

· Flammability (solid, gas): Not applicable.

· Decomposition temperature: Not determined.

• Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Not determined.

· Explosion limits:

Lower:

Upper:Not determined.⋅ Vapour pressure:Not determined.⋅ Density:ca. 0.90 g/cm³(50°C)

Relative density
Vapour density
Evaporation rate

Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

water: Dispersible.

· Partition coefficient: n-octanol/water: Product is an emulsifier.

· Viscosity:

Dynamic at 20 °C: 20 mPas Not determined.

• Other information No further relevant information available.

### 10 Stability and reactivity

- · Reactivity Product is stable under normal ambient conditions.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 5)



Printing date 05.02.2021 Version number 8 Revision: 05.02.2021

Trade name: WALLOXEN SH 55/95 PF

(Contd. of page 4)

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

The classification was carried out according to the calculation method described in section 3.1.3.6.1, Annex 1 of the VO1272/2008

Oral LD50 >2000 mg/kg (--)

- · Primary irritant effect:
- · Skin corrosion/irritation

Component: CAS 68920-66-1

According to CESIO-recommendation 03/2017.

Causes skin irritation.

· Serious eye damage/irritation

Component: CAS 68920-66-1

OECD 405 rabbit own data

No irritating effect.

- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity no data
- · Carcinogenicity no data
- · Reproductive toxicity no data
- · STOT-single exposure no data
- · STOT-repeated exposure no data
- · Aspiration hazard no data

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

The classification was carried out according to the method described in section 4.1.3.5.5, Annex 1 of the VO1272/2008

### 68920-66-1 fatty alcohol polyglycolether

EC50 2.29 mg/l (daphne) (CESIO 10/2015)

EC20 0.0724 mg/l (daphne) (read across to <2,5 EO; CESIO 10/2015)

LC50 >1 mg/l (fish) (CESIO 10/2015)

#### · Persistence and degradability

These surfactants comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

readily biodegradable

Degradation rate >60% Time (d) 28 days Method OECD 301D

Other information:

This statement was deduced from products with a similar structure or composition.

(Contd. on page 6)



Printing date 05.02.2021 Version number 8 Revision: 05.02.2021

Trade name: WALLOXEN SH 55/95 PF

(Contd. of page 5)

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· Waste disposal key:

Determine wastes code in compliance with local waste management company according the European Waste Catalogue (EWC).

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### **14 Transport information**

· UN-Number · ADR, IMDG, IATA	UN3082
· UN proper shipping name	
- ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fatty alcohol polyglycolether)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fatty alcohol polyglycolether), MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fatty alcohol polyglycolether)

- · Transport hazard class(es)
- · ADR, IMDG, IATA



• Class 9 Miscellaneous dangerous substances and articles.

· Label 9

(Contd. on page 7)



Printing date 05.02.2021 Version number 8 Revision: 05.02.2021

Trade name: WALLOXEN SH 55/95 PF

	(Contd. of page 6
· Packing group · ADR, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	Product contains environmentally hazardous substances: fatty alcohol polyglycolether Yes Symbol (fish and tree)
<ul><li>Special marking (ADR):</li><li>Special marking (IATA):</li></ul>	Symbol (fish and tree) Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
<ul><li> Hazard identification number (Kemler code):</li><li> EMS Number:</li><li> Stowage Category</li></ul>	: 90 F-A,S-F A
<ul> <li>Transport in bulk according to Annex II of Marpol and the IBC Code</li> </ul>	Not applicable.
· Transport/Additional information:	
<ul><li>ADR</li><li>Limited quantities (LQ)</li><li>Excepted quantities (EQ)</li></ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul><li>Transport category</li><li>Tunnel restriction code</li></ul>	3 (-)
IMDG     Limited quantities (LQ)     Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fatty alcohol polyglycolether), 9, III

### **15 Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Seveso category HAZARDOUS TO THE AQUATIC ENVIRONMENT E2
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing date 05.02.2021 Version number 8 Revision: 05.02.2021

Trade name: WALLOXEN SH 55/95 PF

(Contd. of page 7)

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Safety and Health group
- · Contact: Dr. Astrid Kawka, Dr. Dieter Kawka
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.

ΕU