

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Version number 8 (replaces version 7)

Revision: 15.06.2022

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: WALLIPHOS TRP 40**
- **Article number:** 521018
- **CAS Number:**
73038-25-2
- **EINECS Number:**
Polymer
- **Registration number**
The product is a polymer and therefore exempted from registration obligation under REACH.
- **Relevant identified uses of the substance or mixture and uses advised against .**
- **Application of the substance / the mixture** Emulsifier
- **Uses advised against** No further relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Wall Chemie GmbH
Am Selder 25
D-47906 KEMPEN
DEUTSCHLAND
Tel.: +49 2152 8999 0
E-Mail: sicherheit@wall-chemie.com
- **Further information obtainable from:** Safety and health group
- **Emergency telephone number:**
This number is serviced during office hours: +49 2152 8999 0
Giftinformationszentrum Nord 24h-information: +49 551 19240

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05



GHS09

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Version number 8 (replaces version 7)

Revision: 15.06.2022

Trade name: WALLIPHOS TRP 40

(Contd. of page 1)

- **Signal word** Danger
- **(Hazard-determining) components of labelling:**
73038-25-2 fatty alcohol polyethyleneglycolphosphoric acid ester
- **Hazard statements**
H315 Causes skin irritation.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P391 Collect spillage.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Substances**
Contains <5% (w/w) of an identified impurity deriving from the process used (calculated):
Phosphoric acid
CAS: 7664-38-2; EC: 231-633-2
- **CAS No. Description**
73038-25-2 fatty alcohol polyethyleneglycolphosphoric acid ester
- **Identification number(s)**
- **EC number:** Polymer
- **Additional information:** Polymers are exempted from registration obligation under REACH (EU).

4 First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Seek medical treatment.
Rinse mouth.
Do not induce vomiting.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
Risk of aspiration.

EU

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Version number 8 (replaces version 7)

Revision: 15.06.2022

Trade name: WALLIPHOS TRP 40

(Contd. of page 2)

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Organic decomposition products
Carbon oxides (CO_x)
Phosphorus oxides
- **Advice for firefighters**
- **Protective equipment:** Use suitable breathing apparatus if necessary.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Particular danger of slipping on leaked/spilled product.
Avoid contact with the eyes and skin.
- **Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
Wear protective clothing.
Do not eat, drink or smoke in working area.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class:** Combustible liquid.
- **Specific end use(s)** No further relevant information available.

EU

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Version number 8 (replaces version 7)

Revision: 15.06.2022

Trade name: WALLIPHOS TRP 40

(Contd. of page 3)

8 Exposure controls/personal protection

- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
 Do not eat, drink, smoke or sniff while working.
 The recommended specification of the protective clothing articles is to be chosen according to the duration of the exposition, the concentration and the amount of the dangerous substances at the working environment. Seek advice of the suppliers.
- **Respiratory protection:** Not required.
- **Hand protection**



Protective gloves

- **Material of gloves**
 e.g. Nitrile rubber, NBR
 Recommended thickness of the material: ≥ 0.5 mm
- **Penetration time of glove material**
 Minimum breakthrough time : > 120 min (Permeation according to EN 374 Part 3: level 4)
- **Eye/face protection**



Tightly sealed goggles (EN 166).

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Yellowish
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** > 0 °C
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** > 100 °C (DIN 51376)
- **Ignition temperature:** > 100 °C
- **Decomposition temperature:** Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Version number 8 (replaces version 7)

Revision: 15.06.2022

Trade name: WALLIPHOS TRP 40

(Contd. of page 4)

· pH (10 g/l) at 20 °C	ca. 2.0 - 3.0
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	2340 mPas
· Solubility	
· water:	Emulsifiable.
· Partition coefficient n-octanol/water (log value)	Product is an emulsifier.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	ca. 1.0 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

10 Stability and reactivity

- **Reactivity** Product is stable under normal ambient conditions.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Strong bases

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Version number 8 (replaces version 7)

Revision: 15.06.2022

Trade name: WALLIPHOS TRP 40

(Contd. of page 5)

- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**
According to CESIO-recommendation 05/2021.

Oral	LD50	>2,000 mg/kg (--)
------	------	-------------------

- **Skin corrosion/irritation**
According to CESIO-recommendation 05/2021
Causes skin irritation.
- **Serious eye damage/irritation**
According to CESIO-recommendation 05/2021.
Causes serious eye damage.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Germ cell mutagenicity** no data
- **Carcinogenicity** no data
- **Reproductive toxicity** no data
- **STOT-single exposure** no data
- **STOT-repeated exposure** no data
- **Aspiration hazard** no data
- **Information on other hazards**
- **Endocrine disrupting properties** Substance is not listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:**
The classification was carried out according to CESIO-recommendation 05/2021
This statement was deduced from products with a similar structure or composition.

EC50	0.35 mg/l (alga) (CESIO 10/2015 / read across to 3 EO)
------	--

- **Persistence and degradability**
According to CESIO-recommendation 05/2021
Not easily biodegradable
Degradation rate 74.2% Time (d) 28 days Method OECD 301 E
(failing 10d window)
These surfactants comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water
Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Version number 8 (replaces version 7)

Revision: 15.06.2022

Trade name: WALLIPHOS TRP 40

Danger to drinking water if even small quantities leak into the ground.

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
- **Waste disposal key:**
Determine wastes code in compliance with local waste management company according the European Waste Catalogue (EWC).
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- **UN number or ID number**
- **ADR, IMDG, IATA** UN3082
- **UN proper shipping name**
- **ADR** 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fatty alcohol polyethyleneglycolphosphoric acid ester)
- **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fatty alcohol polyethyleneglycolphosphoric acid ester), MARINE POLLUTANT
- **IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fatty alcohol polyethyleneglycolphosphoric acid ester)
- **Transport hazard class(es)**
- **ADR, IMDG, IATA**
- 

- **Class** 9 Miscellaneous dangerous substances and articles.
- **Label** 9
- **Packing group**
- **ADR, IMDG, IATA** III
- **Environmental hazards:**
- **Marine pollutant:** Symbol (fish and tree)
- **Special marking (ADR):** Symbol (fish and tree)
- **Special marking (IATA):** Symbol (fish and tree)
- **Special precautions for user** Warning: Miscellaneous dangerous substances and articles.
- **Hazard identification number (Kemler code):** 90
- **EMS Number:** F-A,S-F

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Version number 8 (replaces version 7)

Revision: 15.06.2022

Trade name: WALLIPHOS TRP 40

(Contd. of page 7)

· Stowage Category	A
· Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	(-)
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FATTY ALCOHOL POLYETHYLENEGLYCOLPHOSPHORIC ACID ESTER), 9, III

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Seveso category** HAZARDOUS TO THE AQUATIC ENVIRONMENT E1
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
Substance is not listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
Substance is not listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS** Substance is not listed.
- **Regulation (EC) No 273/2004 on drug precursors** Substance is not listed.
- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
Substance is not listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Safety and Health group

(Contd. on page 9)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Version number 8 (replaces version 7)

Revision: 15.06.2022

Trade name: WALLIPHOS TRP 40

(Contd. of page 8)

- **Contact:** Dr. Astrid Kawka, Dr. Dieter Kawka
- **Date of previous version:** 10.02.2021
- **Version number of previous version:** 7
- **Abbreviations and acronyms:**
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2
 - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- *** Data compared to the previous version altered.**

EU