

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2024





Version number 10 (replaces version 9)

Revision: 25.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** WALLOXEN LM 50
- **Chemical Identification:** Fatty alcohol polyglycolether
- **Article number:** 521011
- **CAS Number:**
68439-50-9
- **EINECS Number:**
Polymer
- **Registration number**
The product is a polymer and therefore exempted from registration obligation under REACH (EU).
- **1.2 Relevant identified uses of the substance or mixture and uses advised against .**
- **Application of the substance / the mixture** Emulsifier
- **Uses advised against** No further relevant information available.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Wall Chemie GmbH
Am Selder 25
D-47906 KEMPEN
DEUTSCHLAND
Tel.: +49 2152 8999 0
E-Mail: sicherheit@wall-chemie.com
- **Further information obtainable from:** Safety and health group
- **1.4 Emergency telephone number:**
This number is serviced during office hours: +49 2152 8999 0
Giftinformationszentrum Nord 24h-information: +49 551 19240

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
-  GHS05 corrosion
Eye Dam. 1 H318 Causes serious eye damage.
-  GHS09 environment
Aquatic Acute 1 H400 Very toxic to aquatic life.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**
-  
GHS05 GHS09
- **Signal word** Danger
- **(Hazard-determining) components of labelling:** 68439-50-9 fatty alcohol polyglycolether

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2024

Version number 10 (replaces version 9)

Revision: 25.03.2024

Trade name: WALLOXEN LM 50

(Contd. of page 1)

- **Hazard statements**
 - H318 Causes serious eye damage.
 - H400 Very toxic to aquatic life.
 - H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
 - P273 Avoid release to the environment.
 - P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P310 Immediately call a POISON CENTER/doctor.
 - P391 Collect spillage.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Determination of endocrine-disrupting properties**
For information on endocrine disrupting properties see section 11.

SECTION 3: Composition/information on ingredients

- **3.1 Substances**
- **CAS No. Description**
68439-50-9 fatty alcohol polyglycolether
- **Identification number(s)**
- **EC number:** Polymer
- **Additional information:** Polymers are exempted from registration obligation under REACH (EU).

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Seek medical treatment.
Rinse mouth.
Do not induce vomiting.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
Risk of aspiration.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Organic decomposition products
Carbon oxides (CO_x)

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2024

Version number 10 (replaces version 9)

Revision: 25.03.2024

Trade name: WALLOXEN LM 50

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** Use suitable breathing apparatus if necessary.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Particular danger of slipping on leaked/spilled product.
Wear protective clothing.
Avoid contact with the eyes and skin.
- **6.2 Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Open and handle receptacle with care.
Wear protective clothing.
Do not eat, drink or smoke in working area.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class:** Combustible liquid.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Do not eat, drink, smoke or sniff while working.
The recommended specification of the protective clothing articles is to be chosen according to the duration of the exposition, the concentration and the amount of the dangerous substances at the working environment. Seek advice of the suppliers.
- **Respiratory protection:** Not required.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2024

Version number 10 (replaces version 9)

Revision: 25.03.2024

Trade name: WALLOXEN LM 50

(Contd. of page 3)

- Hand protection



Protective gloves

- Material of gloves

e.g. Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

- Penetration time of glove material

Minimum breakthrough time : > 120 min (Permeation according to EN 374 Part 3: level 4)

- Eye/face protection



Tightly sealed goggles (EN 166).

- Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Physical state

Fluid

- Colour:

Colourless

- Odour:

Characteristic

- Odour threshold:

Not determined.

- Melting point/freezing point:

Undetermined.

- Boiling point or initial boiling point and boiling range

Undetermined.

- Flammability

The substance is capable of catching fire or being set on fire.

- Lower and upper explosion limit

- Lower:

Not determined.

- Upper:

Not determined.

- Flash point:

> 150 - 160 °C (DIN 51376)

- Decomposition temperature:

Not determined.

- pH

5-7.5

- Viscosity:

- Kinematic viscosity

Not determined.

- Dynamic at 20 °C:

30 mPas

- Solubility

- water:

Partly miscible.
Gel formation possible.

- Partition coefficient n-octanol/water (log value)

Product is an emulsifier.

Not determined.

- Vapour pressure:

Not determined.

- Density and/or relative density

- Density at 20 °C:

0.957 g/cm³

- Relative density

Not determined.

- Vapour density

Not determined.

- 9.2 Other information

- Appearance:

- Form:

Liquid

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2024

Version number 10 (replaces version 9)

Revision: 25.03.2024

Trade name: WALLOXEN LM 50

(Contd. of page 4)

- | | |
|--|---|
| · Important information on protection of health and environment, and on safety. | |
| · Ignition temperature: | Not determined. |
| · Explosive properties: | Product does not present an explosion hazard. |
| · Change in condition | |
| · Evaporation rate | Not determined. |
| · Information with regard to physical hazard classes | |
| · Explosives | Void |
| · Flammable gases | Void |
| · Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| · Flammable liquids | Void |
| · Flammable solids | Void |
| · Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| · Pyrophoric solids | Void |
| · Self-heating substances and mixtures | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Product is stable under normal ambient conditions.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**
According to CESIO-recommendation 05/2021.

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

- **Skin corrosion/irritation**
According to CESIO-recommendation 05/2021.
No irritating effect.
- **Serious eye damage/irritation**
According to CESIO-recommendation 05/2021.
Causes serious eye damage.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Germ cell mutagenicity** no data

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2024

Version number 10 (replaces version 9)

Revision: 25.03.2024

Trade name: WALLOXEN LM 50

(Contd. of page 5)

- **Carcinogenicity** no data
- **Reproductive toxicity** no data
- **STOT-single exposure** no data
- **STOT-repeated exposure** no data
- **Aspiration hazard** no data
- **11.2 Information on other hazards**
- **Endocrine disrupting properties** Substance is not listed.
- **Other information** No further relevant information available.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

According to CESIO-recommendation 05/2021

Acute 1, M = 1

chronic NOEC / ECx	≥0.14 mg/l (alga) (CESIO 10/2015)
--------------------	-----------------------------------

· **12.2 Persistence and degradability**

These surfactants comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

readily biodegradable

Degradation rate 60% Time (d) 28 days Method OECD 301F

· **Other information:**

This statement was deduced from products with a similar structure or composition.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**

· **Remark:**

Very toxic for fish

Harmful to fish

· **Additional ecological information:**

· **General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Very toxic for aquatic organisms

Harmful to aquatic organisms

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· **Waste disposal key:**

Determine wastes code in compliance with local waste management company according the European Waste Catalogue (EWC).

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2024

Version number 10 (replaces version 9)



Revision: 25.03.2024

Trade name: WALLOXEN LM 50

(Contd. of page 6)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

<ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA 	<p>UN3082</p>
<ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR · IMDG · IATA 	<p>3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fatty alcohol polyglycoether)</p> <p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fatty alcohol polyglycoether), MARINE POLLUTANT</p> <p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fatty alcohol polyglycoether)</p>
<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, IMDG, IATA 	<div style="display: flex; align-items: center; gap: 10px;">   </div> <p>9 Miscellaneous dangerous substances and articles.</p> <p>9</p>
<ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA 	<p>III</p>
<ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR): · Special marking (IATA): 	<p>Yes (P)</p> <p>Symbol (fish and tree)</p> <p>Symbol (fish and tree)</p> <p>Symbol (fish and tree)</p>
<ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category 	<p>Warning: Miscellaneous dangerous substances and articles.</p> <p>90</p> <p>F-A,S-F</p> <p>A</p>
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: · ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category 	<p>5L</p> <p>Code: E1</p> <p>Maximum net quantity per inner packaging: 30 ml</p> <p>Maximum net quantity per outer packaging: 1000 ml</p> <p>3</p>

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2024

Version number 10 (replaces version 9)

Revision: 25.03.2024

Trade name: WALLOXEN LM 50

(Contd. of page 7)

· Tunnel restriction code	(-)
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fatty alcohol polyglycoether), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Seveso category** HAZARDOUS TO THE AQUATIC ENVIRONMENT E1
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
Substance is not listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
Substance is not listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS** Substance is not listed.
- **Regulation (EC) No 273/2004 on drug precursors** Substance is not listed.
- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
Substance is not listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Safety and Health group
- **Contact:** Birgit Fielers, Katja Houf
- **Date of previous version:** 20.12.2023
- **Version number of previous version:** 9
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
P: Marine Pollutant
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2024

Version number 10 (replaces version 9)

Revision: 25.03.2024

Trade name: WALLOXEN LM 50

(Contd. of page 8)

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· * **Data compared to the previous version altered.**

EU