

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2022

Version number 8 (replaces version 7)

Revision: 25.03.2022

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** **WALLOXEN STA 250**
- **Article number:** 541004
- **CAS Number:**
61790-82-7
- **EINECS Number:**
Polymer
- **Registration number**
The product is a polymer and therefore exempted from registration obligation under REACH.
- **Relevant identified uses of the substance or mixture and uses advised against .**
- **Application of the substance / the mixture** Emulsifier
- **Uses advised against** No further relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Wall Chemie GmbH
Am Selder 25
D-47906 KEMPEN
DEUTSCHLAND
Tel.: +49 2152 8999 0
E-Mail: sicherheit@wall-chemie.com
- **Further information obtainable from:** Safety and health group
- **Emergency telephone number:**
This number is serviced during office hours: +49 2152 8999 0
Giftinformationszentrum Nord 24h-information: +49 551 19240

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05 GHS07 GHS09

- **Signal word** Danger

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2022

Version number 8 (replaces version 7)

Revision: 25.03.2022

Trade name: WALLOXEN STA 250

(Contd. of page 1)

- **(Hazard-determining) components of labelling:**
61790-82-7 fatty amine polyglycolether
Alternative CAS number: 26635-92-7
- **Hazard statements**
H302 Harmful if swallowed.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P391 Collect spillage.
- **Additional information:** Avoid exposure - obtain special instructions before use.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Substances**
- **CAS No. Description**
61790-82-7 fatty amine polyglycolether
Alternative CAS number: 26635-92-7
- **Identification number(s)**
- **EC number:** Polymer
- **Additional information:** Polymers are exempted from registration obligation under REACH (EU).

4 First aid measures

- **Description of first aid measures**
- **After inhalation:**
In case of unconsciousness place patient stably in side position for transportation.
Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Seek medical treatment.
Rinse mouth.
Do not induce vomiting.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
Risk of aspiration.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2022

Version number 8 (replaces version 7)

Revision: 25.03.2022

Trade name: WALLOXEN STA 250

(Contd. of page 2)

- **Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Organic decomposition products
Carbon oxides (COx)
Nitrogen oxides (NOx)
- **Advice for firefighters**
- **Protective equipment:** Use suitable breathing apparatus if necessary.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Prevent formation of aerosols. Ensure adequate ventilation.
Particular danger of slipping on leaked/spilled product.
Avoid contact with the eyes and skin.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Avoid exposure - obtain special instructions before use.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
When spraying, wear suitable respiratory equipment.
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
Use suitable respiratory protective device in case of insufficient ventilation.
Open and handle receptacle with care.
Wear protective clothing.
Do not eat, drink or smoke in working area.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** Combustible liquid.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2022

Version number 8 (replaces version 7)

Revision: 25.03.2022

Trade name: WALLOXEN STA 250

(Contd. of page 3)

- **Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 Do not inhale gases / fumes / aerosols.
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
 Do not eat, drink, smoke or sniff while working.
 The recommended specification of the protective clothing articles is to be chosen according to the duration of the exposition, the concentration and the amount of the dangerous substances at the working environment. Seek advice of the suppliers.
- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.
- **Hand protection**



Protective gloves

- **Material of gloves**
 e.g. Nitrile rubber, NBR
 Recommended thickness of the material: ≥ 0.5 mm
- **Penetration time of glove material**
 Minimum breakthrough time : > 120 min (Permeation according to EN 374 Part 3: level 4)
- **Eye/face protection**



Tightly sealed goggles (EN 166).

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Solid
- **Colour:** Yellowish
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** ca. 32 °C
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** > 300 °C (DIN 51376)
- **Decomposition temperature:** Not determined.
- **pH (10 g/l) at 20 °C** ca. 9.0 - 11.0
- **Viscosity:**
- **Kinematic viscosity** Not determined.
- **Dynamic at 50 °C:** < 100 mPas

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2022

Version number 8 (replaces version 7)

Revision: 25.03.2022

Trade name: WALLOXEN STA 250

(Contd. of page 4)

· Solubility	
· water:	clearly soluble
· Partition coefficient n-octanol/water (log value)	Product is an emulsifier.
· Vapour pressure at 20 °C:	ca. 0.1 hPa
· Density and/or relative density	
· Density:	ca. 1.04 g/cm ³ (50°C)
· Relative density	Not determined.
· Vapour density	Not determined.
· Particle characteristics	See item 3.
· Other information	
· Appearance:	
· Form:	Solid - pasty
· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

10 Stability and reactivity

- **Reactivity** Product is stable under normal ambient conditions.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

EU

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2022

Version number 8 (replaces version 7)

Revision: 25.03.2022

Trade name: WALLOXEN STA 250

(Contd. of page 5)

11 Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**
Harmful if swallowed.
- **LD/LC50 values relevant for classification:**
This statement was deduced from products with a similar structure or composition.
According to CESIO-recommendation 05/2021.
Oral LD50 <2000 mg/kg (rat)
- **Skin corrosion/irritation**
This statement was deduced from products with a similar structure or composition.
According to CESIO-recommendation 05/2021
No irritating effect.
- **Serious eye damage/irritation**
This statement was deduced from products with a similar structure or composition.
According to CESIO-recommendation 05/2021.
Causes serious eye damage.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Germ cell mutagenicity** no data
- **Carcinogenicity** no data
- **Reproductive toxicity** no data
- **STOT-single exposure** no data
- **STOT-repeated exposure** no data
- **Aspiration hazard** no data
- **Information on other hazards**
- **Endocrine disrupting properties** Substance is not listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:**
The classification was carried out according to CESIO-recommendation 05/2021
This statement was deduced from products with a similar structure or composition.
LC50 1 - 10 mg/l (fish) (CESIO 10/2015 (Env. class.))
- **Persistence and degradability**
According to CESIO-recommendation 10/2015 (Env. class.)
Not easily biodegradable
- **Other information:**
This statement was deduced from products with a similar structure or composition.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **Other adverse effects**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water
Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2022

Version number 8 (replaces version 7)

Revision: 25.03.2022

Trade name: WALLOXEN STA 250


Danger to drinking water if even small quantities leak into the ground.

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
- **Waste disposal key:**
Determine wastes code in compliance with local waste management company according the European Waste Catalogue (EWC).
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- **UN number or ID number**
- **ADR, IMDG, IATA** UN3077
- **UN proper shipping name**
- **ADR** 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fatty amine polyglycolether)
- **IMDG, IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fatty amine polyglycolether)
- **Transport hazard class(es)**
- **ADR, IMDG, IATA**
- 
- **Class** 9 Miscellaneous dangerous substances and articles.
- **Label** 9
- **Packing group**
- **ADR, IMDG, IATA** III
- **Environmental hazards:**
- **Marine pollutant:** Yes (P)
Symbol (fish and tree)
- **Special marking (ADR):** Symbol (fish and tree)
- **Special marking (IATA):** Symbol (fish and tree)
- **Special precautions for user** Warning: Miscellaneous dangerous substances and articles.
- **Hazard identification number (Kemler code):** 90
- **EMS Number:** F-A,S-F
- **Stowage Category** A
- **Stowage Code** SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2022

Version number 8 (replaces version 7)

Revision: 25.03.2022

Trade name: WALLOXEN STA 250

(Contd. of page 7)

· Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· Transport category	3
· Tunnel restriction code	-
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (FATTY AMINE POLYGLYCOLETHER), 9, III

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Seveso category** HAZARDOUS TO THE AQUATIC ENVIRONMENT E2
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
Substance is not listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
Substance is not listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS** Substance is not listed.
- **Regulation (EC) No 273/2004 on drug precursors** Substance is not listed.
- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
Substance is not listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Safety and Health group
- **Contact:** Dr. Astrid Kawka, Dr. Dieter Kawka
- **Date of previous version:** 21.01.2021
- **Version number of previous version:** 7
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2022

Version number 8 (replaces version 7)

Revision: 25.03.2022

Trade name: WALLOXEN STA 250

(Contd. of page 8)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

P: Marine Pollutant

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

*** Data compared to the previous version altered.**

EU