


Printing date 04.02.2021

Revision: 04.02.2021



• •



# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 04.02.2021

. -

#### Printing date 04.02.2021

# Version number 5

Trade name: WALLOXEN TA 200

		(Contd. of page
(Hazard-deter	mining) components of labelling: 61791-26-2	Fatty amine polyglycolether
Hazard staten	nents	
H302 Harmful	if swallowed.	
H318 Causes	serious eye damage.	
H411 Toxic to	aquatic life with long lasting effects.	
Precautionary	statements	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection.	protection/face protection/hearing
P301+P312	IF SWALLOWED: Call a POISON CENTER/d	octor if you feel unwell.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for se lenses, if present and easy to do. Continue rin	
P310	Immediately call a POISON CENTER/doctor.	5
P391	Collect spillage.	
Additional info	ormation: Avoid exposure - obtain special instruct	ions before use.
Other hazards		
<b>Results of PB</b>	T and vPvB assessment	
PBT: Not appli	cable.	
vPvB: Not app		

# 3 Composition/information on ingredients

- · Chemical characterisation: Substances
- CAS No. Description
   61791-26-2 Fatty amine polyglycolether
- · Identification number(s)
- · EC number: Polymer
- · Additional information: Polymers are exempted from registration obligation under REACH.

#### **4 First aid measures**

#### · Description of first aid measures

· After inhalation:

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Seek medical treatment.

Rinse mouth.

- Do not induce vomiting.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed Risk of aspiration.

# **5 Firefighting measures**

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture In case of fire, the following can be released:

(Contd. on page 3)

ЕU



Printing date 04.02.2021

Version number 5

Revision: 04.02.2021

(Contd. of page 2)

#### Trade name: WALLOXEN TA 200

Organic decomposition products Carbon oxides (COx) Nitrogen oxides (NOx)

· Advice for firefighters

• Protective equipment: Use suitable breathing apparatus if necessary.

### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Prevent formation of aerosols. Ensure adequate ventilation.
 Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Particular danger of slipping on leaked/spilled product.

- Avoid contact with the eyes and skin.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform reportive outborition in case of peoplege into water course or a

Inform respective authorities in case of seepage into water course or sewage system.

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# 7 Handling and storage

#### · Handling:

· Precautions for safe handling

Avoid exposure - obtain special instructions before use.

Ensure good ventilation/exhaustion at the workplace.

When spraying, wear suitable respiratory equipment.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Use suitable respiratory protective device in case of insufficient ventilation.

Open and handle receptacle with care.

Wear protective clothing.

Do not eat, drink or smoke in working area.

• Information about fire - and explosion protection: Keep respiratory protective device available.

#### · Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool, dry and well-ventilated place. Store only in the original receptacle.
- Information about storage in one common storage facility: Keep away from foodstuffs, beverages and feed.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: Combustible liquid.
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

\_\_\_\_ EU -



Printing date 04.02.2021

Version number 5

Revision: 04.02.2021

#### Trade name: WALLOXEN TA 200

	(Contd. of page 3)
· Control parameters	
Ingredients with limit values that require monitoring at the	
Additional information: The lists valid during the making we	ere used as basis.
· Exposure controls	
<ul> <li>Personal protective equipment:</li> </ul>	
General protective and hygienic measures:	
Do not inhale gases / fumes / aerosols.	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.	
Avoid contact with the eyes and skin.	
Do not eat, drink, smoke or sniff while working.	
The recommended specification of the protective clothing artiduration of the exposition, the concentration and the amount working environment. Seek advice of the suppliers.	of the dangerous substances at the
Respiratory protection: Use suitable respiratory protective of Protection of hands:	device in case of insufficient ventilation.
Protective gloves	
Material of gloves	
e.g. Nitrile rubber, NBR	
Recommended thickness of the material: $\geq$ 0.5 mm	
Penetration time of glove material	
Minimum breakthrough time : > 120 min (Permeation accordi	ng to EN 374 Part 3: level 4)
Eye protection:	
Tightly sealed goggles (EN 166).	
Body protection: Protective work clothing	
· · · · · · · · · · · · · · · · · · ·	
Physical and chemical properties	
Thysical and chemical properties	

<ul> <li>Information on basic physical an</li> <li>General Information</li> </ul>	• •	
· Appearance:		
Form:	liquid - pasty	
Colour:	Light brown	
· Odour:	Amine-like	
Odour threshold:	Not determined.	
· pH-value (10 g/l) at 20 °C:	9.0 - 11.0	
Change in condition		
Melting point/freezing point:	15-18 °C	
Initial boiling point and boiling	range: Undetermined.	
Flash point:	> 135 °C (DIN 51376)	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Not determined.	



Printing date 04.02.2021

Version number 5

Revision: 04.02.2021

#### Trade name: WALLOXEN TA 200

	(Contd. of page 4)
· Explosive properties:	Product does not present an explosion hazard.
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.
· Vapour pressure at 20 °C:	0.1 hPa
<ul> <li>Density:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	ca. 1.0 g/cm <sup>3</sup> (60°C) Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	clearly soluble
· Partition coefficient: n-octanol/water:	Product is an emulsifier.
<ul> <li>Viscosity:</li> <li>Dynamic at 60 °C:</li> <li>Kinematic:</li> </ul>	36 - 43 mPas Not determined.
· Other information	No further relevant information available.

# **10 Stability and reactivity**

- · Reactivity Product is stable under normal ambient conditions.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- $\cdot$  Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- $\cdot$  Incompatible materials: No further relevant information available.
- $\cdot$  Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

<ul> <li>Information on toxicological effects</li> <li>Acute toxicity Harmful if swallowed.</li> <li>LD/LC50 values relevant for classification: This statement was deduced from products with a similar structure or composition. According to CESIO-recommendation 03/2017</li> </ul>	
Oral LD50 <2000 mg/kg (rat)	
<ul> <li>Primary irritant effect:</li> <li>Skin corrosion/irritation         According to CESIO-recommendation 03/2017         No irritating effect.     </li> <li>Serious eye damage/irritation         According to CESIO-recommendation 03/2017.         Causes serious eye damage.     </li> <li>Respiratory or skin sensitisation No sensitising effects known.</li> <li>Other information (about experimental toxicology):         This statement was deduced from products with a similar structure or composition.     </li> <li>Additional toxicological information:         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)         Germ cell mutagenicity no data     </li> </ul>	(Contd. on page 6)
	(Contd. on page 6)



Printing date 04.02.2021

Version number 5

Revision: 04.02.2021

(Contd. of page 5)

#### Trade name: WALLOXEN TA 200

- · Carcinogenicity no data
- · Reproductive toxicity no data
- · STOT-single exposure no data
- · STOT-repeated exposure no data
- · Aspiration hazard no data

# **12 Ecological information**

- · Aquatic toxicity:

This statement was deduced from products with a similar structure or composition. According to CESIO-recommendation 03/2017

- LC50 1-10 mg/l (fish)
- · Persistence and degradability
- According to CESIO-recommendation 05/2015 (Env. class.)
- Not easily biodegradable
- · Other information:
- This statement was deduced from products with a similar structure or composition.
- $\cdot$  Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Waste disposal key:

Determine wastes code in compliance with local waste management company according the European Waste Catalogue (EWC).

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

*	14 Transport information
---	--------------------------

- · UN-Number
- · ADR, IMDG, IATA

UN3082

(Contd. on page 7)



Revision: 04.02.2021

Printing date 04.02.2021

Version number 5

	(Contd. of pag
· UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty amine polyglycolether)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty amine
	polyglycolether), MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty amine polyglycolether)
· Transport hazard class(es)	
ADR, IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
· Packing group · ADR, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	Yes (P) Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Hazard identification number (Kemler code):	
EMS Number:	F-A,S-F
Stowage Category	A
<ul> <li>Transport in bulk according to Annex II of Marpol and the IBC Code</li> </ul>	Not applicable.
· Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L Code: 51
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 1000
Turner and a standard	ml
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	3 (-)
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 1000 ml



Printing date 04.02.2021

Version number 5

Revision: 04.02.2021

Trade name: WALLOXEN TA 200

(Contd. of page 7)

· UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FATTY AMINE POLYGLYCOLETHER), 9, III

# **15 Regulatory information**

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category HAZARDOUS TO THE AQUATIC ENVIRONMENT E2
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Safety and Health group
- Contact: Dr. Astrid Kawka, Dr. Dieter Kawka
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association P: Marine Pollutant GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 4: Acute toxicity Category 4
- Eye Dam. 1: Serious eye damage/eye irritation Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

 $\cdot$  \* Data compared to the previous version altered.